

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L20	1	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and (sql near4 listener) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:09
L21	1	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) and (sql near4 listener) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:10
L22	5	(sql near4 listener) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:10
L23	2	"20060176496"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 11:58
L24	2	"20020169781"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 12:03
S4	44	application same driver same ((data\$base) (data adj store) (director\$4) (spreadsheet)) same (commit\$4 roll\$back) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 11:23

S5	17	driver same ((data\$base) (data adj store) (director\$4) (spreadsheet)) same (commit \$4 roll\$back) same ((two adj phase) (2pc) (second adj phase)) and (@pd< "20040408" @ad< "20040408" @rlad< "20040408" @prad< "20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 11:48
S6	14	driver same (commit\$4 roll \$back) same ((two adj phase) (2pc) (second adj phase)) and ("707"/\$.cds.) and (@pd< "20040408" @ad< "20040408" @rlad< "20040408" @prad< "20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 11:53
S8	32	driver and wrapper and (commit\$4 roll\$back) and ((two adj phase) (2pc) (second adj phase)) and ("707"/\$.cds.) and (@pd< "20040408" @ad< "20040408" @rlad< "20040408" @prad< "20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 11:59
S9	32	S8 not S6 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 11:59
S13	13	(jdbc adj driver) and ((roll \$4back) (roll\$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and ("707"/\$.cds.) and (@pd< "20040408" @ad< "20040408" @rlad< "20040408" @prad< "20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 12:13
S14	34	(driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and jdbc and transaction and ("707"/\$. cds.) and (@pd< "20040408" @ad< "20040408" @rlad< "20040408" @prad< "20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:26

S16	26	(driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and jdbc and compatibl\$4 and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:51
S17	29	(driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and jdbc and sql and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:52
S18	84	(driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and data\$base and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:53
S19	51	S18 not S17 not S16 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 13:53
S20	10	("20040216107" "20050015436" "20060236004" "20060218363")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 14:19
S22	42	(driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and xa and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 14:28

S23	69	((driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and (decoupl\$4 integrat\$4) and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 14:34
S24	20	((driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and (decoupl\$4) and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 14:35
S25	30	((jdbc adj driver) and ((roll \$4back) (roll\$4 adj back)) and ("707"/\$. ccls.) and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/19 14:37
S30	74	((driver) and ((roll\$4back) (roll \$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and jdbc and listen\$4 and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:24
S31	55	((roll\$4back) (roll\$4 adj back)) and ((two adj phase) (2pc) (second adj phase)) and jdbc and listen\$4 and simulat\$4 and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:43
S32	47	((roll\$4back) (roll\$4 adj back)) and ((two adj phase near4 commit\$4) (2pc) (second adj phase near3 commit\$4)) and jdbc and simulat\$4 and (@pd<"20040408" @ad<"20040408" @riad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:48

S36	80	((roll\$4back) (roll\$4 adj back)) and ((two adj phase near4 commit\$4) (2pc) (second adj phase near3 commit\$4)) and ((commercial near2 off\$the\$shelf) (commercial near2 off near3 shelf) (cots)) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:55
S37	58	((roll\$4back) (roll\$4 adj back)) and ((two adj phase near4 commit\$4) (2pc) (second adj phase near3 commit\$4)) and ((commercial near2 off\$the\$shelf) (commercial near2 off near3 shelf) (cots)) and driver and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:57
S38	56	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) and ((commercial near2 off\$the \$shelf near3 application) (commercial near2 off near3 shelf near3 application) (cots near3 application)) and driver and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 14:58
S40	13	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same ((data adj store) (data\$base)) same version and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:01
S41	190	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:03

S42	76	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and driver and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:04
S43	96	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and xa and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:04
S44	39	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and listener and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:06
S45	190	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:16
S46	81	((two adj phase near4 commit \$4) (2pc) (second adj phase near3 commit\$4)) same roll \$back and (data near3 request \$4) and (@pd<"20040408" @ad<"20040408" @rlad<"20040408" @prad<"20040408")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/25 15:17

2/ 26/ 2009 12:08:52 PM

C:\Documents and Settings\ itecklu\ My Documents\ EAST\ Workspaces\ 10820539.wsp